

<b>AWARD/CONTRACT</b>		<b>1. This Contract Is A Rated Order Under DPAS (15 CFR 700)</b>		<b>Rating</b> DOA4		<b>Page</b> 1 <b>Of</b> 31	
<b>2. Contract (Proc. Inst. Ident) No.</b> W56HZV-04-C-0652		<b>3. Effective Date</b> 2004OCT05		<b>4. Requisition/Purchase Request/Project No.</b> SEE SCHEDULE			
<b>5. Issued By</b> TACOM WARREN AMSTA-AQ-ATAD RICHELE FERRARA (586)574-6318 WARREN, MICHIGAN 48397-5000  HTTP://CONTRACTING.TACOM.ARMY.MIL  <b>e-mail address:</b> FERRARAR@TACOM.ARMY.MIL		<b>Code</b> W56HZV	<b>6. Administered By (If Other Than Item 5)</b> DCMA ATLANTA 2300 LAKE PARK DRIVE SUITE 300 SMYRNA GA 30080  <b>SCD</b> B <b>PAS</b> NONE <b>ADP</b> PT HQ0338		<b>Code</b> S1103A		
<b>7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code)</b> WINDWARD ENTERPRISES ROUTE 1 BOX 604 604 BROWN'S COVE ROAD RIDGELAND, SC. 29936  TYPE BUSINESS: Other Small Business Performing in U.S.				<b>8. Delivery</b> <input type="checkbox"/> FOB Origin <input checked="" type="checkbox"/> Other (See Below) SEE SCHEDULE			
				<b>9. Discount For Prompt Payment</b> Net 30 Days			
				<b>10. Submit Invoices (4 Copies Unless Otherwise Specified)</b>		<b>Item</b> 12	
<b>Code</b> OUKB6		<b>Facility Code</b>		<b>To The Address Shown In:</b>			
<b>11. Ship To/Mark For</b> SEE SCHEDULE		<b>Code</b>	<b>12. Payment Will Be Made By</b> DFAS-COLUMBUS CENTER DFAS-CO/SOUTH ENTITLEMENT OPERATION P.O. BOX 182264 COLUMBUS, OH 43218-2264		<b>Code</b> HQ0338		
<b>13. Authority For Using Other Than Full And Open Competition:</b> <input checked="" type="checkbox"/> 10 U.S.C. 2304(c)(3) <input type="checkbox"/> 41 U.S.C. 253(c)( )				<b>14. Accounting And Appropriation Data</b> ACRN: AA 97 X4930AC6D 6D 26FB S20113 W56HZV			
<b>15A. Item No.</b> SEE SCHEDULE	<b>15B. Schedule Of Supplies/Services</b> CONTRACT TYPE: Firm-Fixed-Price		<b>15C. Quantity</b>		<b>15D. Unit</b>	<b>15E. Unit Price</b>	<b>15F. Amount</b>
			KIND OF CONTRACT: Supply Contracts and Priced Orders				
<b>15G. Total Amount Of Contract</b>						\$44,000.00	
<b>16. Table Of Contents</b>							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	21
X	B	Supplies or Services and Prices/Costs	4	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	7		J	List of Attachments	
X	D	Packaging and Marking	10	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	12		K	Representations, Certifications, and Other Statements of Offerors	
X	F	Deliveries or Performance	16		L	Instrs., Conds., and Notices to Offerors	
X	G	Contract Administration Data	19		M	Evaluation Factors for Award	
X	H	Special Contract Requirements	20				
Contracting Officer Will Complete Item 17 Or 18 As Applicable							
<b>17.</b> <input type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)				<b>18.</b> <input checked="" type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number W56HZV04R0729 including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.			
<b>19A. Name And Title Of Signer (Type Or Print)</b>				<b>20A. Name Of Contracting Officer</b> PAMELA L. GROZDON GROZDONP@TACOM.ARMY.MIL (586)574-8552			
<b>19B. Name of Contractor</b>  By _____ (Signature of person authorized to sign)		<b>19c. Date Signed</b>		<b>20B. United States Of America</b>  By _____ /SIGNED/ (Signature of Contracting Officer)		<b>20C. Date Signed</b> 2004OCT05	
NSN 7540-01-152-8069 PREVIOUS EDITIONS UNUSABLE				25-106 GPO : 1985 0 - 478-632		Standard Form 26 (Rev. 4-85) Prescribed By GSA-FAR (4.8 CFR) 53.214(a)	

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 2 <b>of</b> 31
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

SECTION A - SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
A-1	52.204-4850 (TACOM)	ACCEPTANCE APPENDIX	FEB/2002

(a) Contract Number W56HZV04C0652 is awarded to Windward Enterprises. The Government accepts your proposal dated June 25, 2004, in response to Solicitation Number: W56HZV-04-R-0729, signed by James D. McMath, Owner of your company.

(b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:

Section E, 52.246-4028, INSPECTION POINT: Windward Enterprises  
Route 1 Box 604  
Jasper, SC 29936  
Contact: Jim McMath  
(843)987-3120  
jmcmath@windwardent.com

Shipping Characteristics:

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length 8\_\_\_\_\_ x Width\_8\_\_\_\_\_ x Depth 8\_\_\_\_\_(expressed in inches)/Weight expressed in 15 pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:  
Length, 42"\_\_ x Width, 48"\_\_ x Height, 36"\_\_ (expressed in feet and inches)

(ii) Number of unit packages per shipping container 100 each

(iii) Gross weight of Shipping container and contents 1600 Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [ X ] No [ ]; describe: SKIDDED. \_\_\_\_\_

(ii) Number of Shipping containers per pallet/skid 1 each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials 100 Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, 42"\_\_ x Width, 48"\_ x Height,\_36"\_\_\_\_\_ (expressed in feet and inches)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 3 <b>of</b> 31
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

(v) Gross Weight of Unit Load \_\_\_\_\_ Lbs;

[End of Clause]

(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (<http://contracting.tacom.army.mil/>) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.

(d) The following Amendment(s) to the solicitation are incorporated into this contract: 0001 and 0003.

[End of Clause]

A-2	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	SEP/2004
-----	------------------------	-------------------------------------	----------

(a) All TACOM solicitations and awards are distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/ebidnotice.htm>

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil)  
If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center Website at <http://www.sellingtothegovernment.net/index.asp> to find a location near you.

[End of Clause]

CONTINUATION SHEET		Reference No. of Document Being Continued			Page 4 of 31
		PIIN/SIIN W56HZV-04-C-0652	MOD/AMD		
Name of Offeror or Contractor: WINDWARD ENTERPRISES					
ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 3010-01-090-7747 FSCM: 0UKB6 PART NR: 11669333W SECURITY CLASS: Unclassified  ROCKWELL INTERNATIONAL CAGE CODE 78500 P/N 922-02-48-804 REV L 12-17-87  TOP DRAWING IS SOURCE CONTROLLED. SEE TDP FOR DRAWINGS-SOURCES MUST CONFORM TO THE DRAWING REQUIREMENTS. MILITARY PART NUMBER IS 11699333W.  (End of narrative A001)				
0001AA	<u>BASIC QUANTITY</u>  NOUN: UNIVERSAL JOINT PRON: EH3A7227EH PRON AMD: 02 ACRN: AA AMS CD: 070011  MANUFACTURERS PART NUMBER WINDMERE ENTERPRISES CAGE CODE: 0UBK6 P/N: 11669333W  (End of narrative B001)  <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 11669333 DATE: 03-MAY-2004  <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQ IN TECH DATA PACKAGE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A  <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin  <u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3255T843 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 60 0120	100	EA	\$ 440.00000	\$ 44,000.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0652 MOD/AMD	Page 5 of 31
--------------------	---	--------------

Name of Offeror or Contractor: WINDWARD ENTERPRISES

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p>DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 002 W56HZV3255T844 W62G2T J 2 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 40 0120</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95304-5000</p>				
0002	<p>SECURITY CLASS: Unclassified</p> <p>ROCKWELL INTERNATIONAL CAGE CODE 78500 P/N 922-02-48-804 REV L 12-17-87</p> <p>TOP DRAWING IS SOURCE CONTROLLED. SEE TDP FOR DRAWINGS-SOURCES MUST CONFORM TO THE DRAWING REQUIREMENTS. MILITARY PART NUMBER IS 11699333W.</p> <p>(End of narrative A001)</p>				
0002AA	<p><u>"UNEXERCISED" OPTION QUANTITY</u></p> <p>NOUN: UNIVERSAL JOINT-OPTION</p> <p>OPTION QUANTITY, PURSUANT TO SECTION H ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>The failure of the offeror to insert a unit</p>	200	EA	\$ 440.00000	\$ 88,000.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0652 MOD/AMD	Page 6 of 31
--------------------	---	--------------

Name of Offeror or Contractor: WINDWARD ENTERPRISES

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award accordingly.</p> <p>*****CLIN 0002AA IS A 200% OPTION FOR 180 DAYS AFTER AWARD. THE MAXIMUM FOR THIS OPTION IS 200 EACH.</p> <p>(End of narrative B001)</p> <p>MANUFACTURERS PART NUMBER WINDMERE ENTERPRISES CAGE CODE: 0UBK6 P/N: 11669333W</p> <p>(End of narrative B002)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 11669333 DATE: 03-MAY-2004</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQ IN TECH DATA PACKAGE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 200 UNDEFINITIZED</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 7 <b>of</b> 31
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
C-1	52.211-4015 (TACOM)	CONFIGURATION CONTROL - ENGINEERING CHANGES	APR/2004

- (a) DEFINITIONS:
- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (3) Value Engineering Change Proposal (VECP). A proposal that --
- (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
- (A) In deliverable end item quantities only;
- (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
- (C) To the contract type only.
- (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchang.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
- (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (NT).
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
- (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
- (d) Submittal Procedures for ECPs/VECPs/RFDs.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 8 <b>of</b> 31
---------------------------	--	----------------------------

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPS, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (SZAFRANSKI@TACOM.ARMY.MIL) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPS and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

C-2	52.211-4053	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING	MAR/2000
	(TACOM)	SUBSTANCES (CIODS)	

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-C-53072.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]



**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

C-3            52.246-4053            USE OF MIL-STD 1916  
(TACOM)

JAN/2001

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

C-4            52.211-4008            DRAWING LIMITATIONS  
(TACOM)

NOV/2002

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-5            52.211-4010            ACQUISITION OF SOURCE-CONTROLLED PART NUMBER    ALT I  
                 (TACOM)

FEB/1998

Acquisition under this contract is restricted to:

- (1) The manufacturer's part number or numbers set forth in the Schedule or the Technical Data Package; and

(2) Other manufacturer's part numbers that are physically, functionally, and mechanically interchangeable with the manufacturer's part number(s) listed in the Technical Data Package; provided (i) that these nonlisted part numbers have been furnished to one of the approved manufacturers listed in the Technical Data Package, which firm has then, without making any changes in the characteristics or properties of the part, redesignated that part with one of the approved part numbers; and (ii) that firms tendering a nonlisted part number as described in this paragraph (2). have executed the provision entitled REPRESENTATION OF INTENT TO SUPPLY A SOURCE-CONTROLLED ITEM in Section K herein.

[End of Clause]

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 10 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

SECTION D - PACKAGING AND MARKING

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1	52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	JUN/2004

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: A
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. NONE
- (a) REVISION N/A
- (b) DATE OF REVISION N/A

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <[http://www.asset-trak.com/catt/msl\\_irrd/mslirrdmain.htm](http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm)> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 11 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations  
 International Maritime Dangerous Goods Code (IMDG)  
 Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49  
 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO  
 P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: -6-

[End of Clause]

D-2                    52.247-4016                    HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS                    JUL/2002  
                           (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued  PIIN/SIIN W56HZV-04-C-0652 MOD/AMD	Page 12 of 31
Name of Offeror or Contractor: WINDWARD ENTERPRISES		

SECTION E - INSPECTION AND ACCEPTANCE

	Regulatory Cite	Title	Date
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.211-4016	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND ALUMINUM SURFACES	AUG/2003

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1 microcrystalline zinc phosphate system per TT-C-490E. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490E. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in compliance with the (pretreatment chemicals) manufacturers instructions. Process control tests for this or alternative systems must ensure that the process remains in control and must be documented per ISO 9000 series and approved by TACOM. Testing (corrosion resistance and adhesion) must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any TT-C-490E (Type I) inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg per square foot to minimize chipping of the CARC system. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented per ISO 9000 series and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490E shall be submitted to the procuring activity no less than 45 days prior to start of work. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of zinc phosphate or any proposed alternate pretreatment system must be demonstrated and approved by the procuring activity. Prior to production, a Letter of Approval shall be provided by the Contracting Officer. Regualification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system acceptance (Letter of Approval) provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require separate qualification. Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. The test coupons must duplicate the production painting process as closely as possible.

(b) Qualification of pretreatment systems for zinc galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe between 24 and 168 hours after removal from the cyclic salt spray chamber for coupon evaluation. There shall be no more than 3 mm of red rust creep, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at two month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below), after appropriate cleaning per TT-C-490E. If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P, as a scribed Q-panel when coated with the production primer. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 lines x 4 lines scribed to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any panel edge or the scribe. Multiple head cutters may be used. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable. All process steps shall be documented IAW ISO 9000 series standards and approved by the procuring activity.

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level. The Army is committed to minimizing the use of HAPs and hazardous materials.

[End of Clause]			
E-4	52.211-4030	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT	JAN/2003

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-C-0652      MOD/AMD</p>	<p style="text-align: center;"><b>Page 13 of 31</b></p>
--	--	---

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(TACOM)      RESISTANT COATINGS (CARC) ON METALLIC SURFACES

(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.

(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured\* (See note below), the Contractor shall test and inspect two units per lot for (i)workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

\*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 14 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

SPECIFICATION		DRY FILM THICKNESS (Mils) (MANDATORY RANGE)
DOD-P-15328*		0.3 - 0.5
MIL-PRF-23377		1.0 - 1.5
MIL-P-53022, Type I		1.0 - 2.5
MIL-P-53022, Type II		1.5 - 2.5
MIL-P-53030		1.5 - 2.5
MIL-P-53084		0.8 - 1.5
MIL-C-22750		1.3 - 2.5
MIL-C-46168		1.8 MINIMUM
MIL-C-53039		1.8 MINIMUM
MIL-DTL-64159		1.0 MINIMUM

\* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-5	52.246-4017 (TACOM)	ALTERNATIVES TO LOT ACCEPTANCE SAMPLING (INCLUDING STATISTICAL PROCESS CONTROL (SPC))	FEB/2000
<p>(a) Offerors are encouraged to propose a defect prevention strategy in lieu of lot acceptance inspection and testing requirement cited in the technical data package. The Government recognizes that industry has developed numerous prevention based strategies which result in reduced process variation and promote continuous process improvement initiatives. Use of alternatives to lot acceptance sampling can provide offerors the latitude of implementing prevention based programs that are suitable to their particular mode of operation. Offerors are encouraged to submit their alternative proposals prior to award. Although the Government will entertain post award requests, there is no guarantee such requests will be accepted.</p>			
<p>(b) Requests to use alternatives to lot acceptance sampling shall be provided to the Contracting Officer for review and approval or disapproval. Such request shall include:</p>			

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 15 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

- (1) Identification of the specific inspections and tests to be reduced or eliminated.
- (2) A description of your prevention based program. This should include such topics as training program and the performance of audits.
- (3) A description of the tools used to monitor and control the specific processes being evaluated. This should include such topics as criteria for determining out of control conditions and procedures to be used when an out of control condition is detected.
- (4) The results of a process performance study, and if available, the results of a process capability study.
- (5) For SPC data to be used as an alternative to lot acceptance sampling, the following conditions shall be met:
  - (i) The process is in a state of statistical control using SPC control chart methods.
  - (ii) Variable data: for Critical characteristics a CPK  $\geq$  2.00 (or equivalent capability) is achieved; for Major characteristics a CPK  $\geq$  1.33 (or equivalent capability) is achieved.
  - (iii) Attribute data: for Critical Characteristics a process average of 100% of the product conforming to the specification; for Major characteristics a process average of 99.9937% of the product conforming to the specification.
- (c) Proposals offered after award. The Contracting Officer is responsible for accepting or rejecting the alternate lot acceptance procedure submitted by the contractor. The contractor may submit an alternate lot acceptance procedure at any time during the performance of this contract. The Contracting Officer is responsible for accepting or rejecting the alternate procedure within 30 days of receipt. If the Government needs more time evaluate the alternate procedure, the Contracting Officer shall notify the contractor in writing, giving the reasons and the anticipated decision date. The contractor may withdraw its proposal at anytime prior to its incorporation by contract modification. Because offerors may withdraw their proposal at anytime, the Contracting Officer's failure to timely accept or reject the proposal shall not constitute grounds for claim against the Government. Any proposed and accepted procedure is not accepted, the Contracting Officer shall provide the contractor with written notification, explaining the reasons for rejection.
- (d) Any equitable adjustment resulting from approval of an alternate lot acceptance procedure described in paragraph (c) above will be handled in accordance with the Changes clause of this contract.
- (e) Until notification is received, the contractor is required to perform under this contract in accordance with the requirements herein, including lot acceptance inspection and testing.

[End of Clause]

E-6            52.246-4028            INSPECTION POINT: ORIGIN            FEB/1994  
                   (TACOM)

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's or subcontractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT:    WINDWARD ENTERPRISES  
                                   ROUTE 1 BOX 604  
                                   RIDGELAND SC 29936

[End of Clause]

E-7            52.246-4029            ACCEPTANCE POINT: ORIGIN            OCT/2002  
                   (TACOM)

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

[End of Clause]

SECTION F - DELIVERIES OR PERFORMANCE

	Regulatory Cite	Title	Date
F-1	52.242-15	STOP-WORK ORDER	AUG/1989
F-2	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-3	52.247-34	F.O.B. DESTINATION	NOV/1991
F-4	52.247-48	F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION)	FEB/1999
F-5	52.242-4022 (TACOM)	DELIVERY SCHEDULE	MAY/2000

- (a) DEFINITIONS:
- (1) CLIN means Contract Line Item Number, and refers to the contract items listed in Section B of this document.

(2) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.

(3) DELIVERY is defined as follows:

(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or

(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.
- (b) The Government's proposed delivery schedule is:
- |             |             |                 |
|-------------|-------------|-----------------|
| <u>CLIN</u> | <u>DAYS</u> | <u>QUANTITY</u> |
| 0001AA      | 120         | 100             |
- (c) If the successful offeror is granted a waiver of the First Article Test requirement, as contained in Section E, the proposed delivery schedule in the resulting contract shall be accelerated by N/A days, to reflect the removal of leadtime originally included in the delivery schedule to provide for manufacturing, testing, and approval of the first article.
- (d) You can accelerate delivery: AT NO ADDITIONAL COST TO THE GOVERNMENT.
- (e) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, your offer may be determined unacceptable for award.
- (f) CONTRACTOR'S PROPOSED SCHEDULE:
- (1) I WILL START DELIVERIES 120 DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE,        DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF 100 UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF        UNITS EVERY 30 DAYS.

[End of Clause]

F-6	52.211-16	VARIATION IN QUANTITY	APR/1984
-----	-----------	-----------------------	----------

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

ZERO percent increase; and

ZERO percent decrease.



CONTINUATION SHEET	Reference No. of Document Being Continued		Page 17 of 31
	PIIN/SIIN	MOD/AMD	

W56HZV-04-C-0652

Name of Offeror or Contractor: WINDWARD ENTERPRISES

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

F-7	52.247-4017 (TACOM)	DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR ADDRESSES			MAY/2004
Rail/ Motor SPLC*	MILSTRIP Address Code	Rail Ship To:	Motor Ship To:	Parcel Post Mail To:	
206721/ 209405	W25G1U	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001	

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

\*\*\*SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot  
Red River Army Depot  
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 18 <b>of</b> 31
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

shipments will be made equally to each of the designated destinations.

[End of Clause]

Name of Offeror or Contractor: WINDWARD ENTERPRISES

SECTION G - CONTRACT ADMINISTRATION DATA

PRON/										JOB		ACCOUNTING		OBLIGATED	
LINE	AMS	CD/	OBLG							ORDER		STATION		AMOUNT	
<u>ITEM</u>	<u>MIPR</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>						<u>NUMBER</u>		<u>STATION</u>		<u>AMOUNT</u>	
0001AA	EH3A7227EH	AA	2	97	X4930AC6D	6D	26FB	S20113				W56HZV	\$	44,000.00	
	070011														
													TOTAL	\$	44,000.00
SERVICE										ACCOUNTING		OBLIGATED			
<u>NAME</u>	<u>TOTAL BY ACRN</u>		<u>ACCOUNTING CLASSIFICATION</u>							<u>STATION</u>		<u>AMOUNT</u>			
Army		AA	97	X4930AC6D	6D	26FB	S20113			W56HZV	\$	44,000.00			
													TOTAL	\$	44,000.00

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 20 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
H-1	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
H-2	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-3	252.225-7013	DUTY-FREE ENTRY	JAN/2004
H-4	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-5	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-6	52.217-4001 (TACOM)	SEPARATELY PRICED OPTION FOR INCREASED QUANTITY	APR/1997

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 200 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 180 days after award. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

H-7	52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	JUN/2004
H-8	52.246-4026 (TACOM)	LOCAL ADDRESSES FOR DD FORM 250	JAN/2002

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil
- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://web1.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 21 of 31
	PIIN/SIIN W56HZV-04-C-0652	MOD/AMD	
Name of Offeror or Contractor: WINDWARD ENTERPRISES			

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
I-1	52.202-1	DEFINITIONS	JUL/2004
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.215-2	AUDIT AND RECORDS - NEGOTIATIONS	JUN/1999
I-13	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
I-14	52.215-13	SUBCONTRACTOR COST OR PRICING DATA -- MODIFICATIONS	OCT/1997
I-15	52.215-14	INTEGRITY OF UNIT PRICES	OCT/1997
I-16	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	MAY/2004
I-17	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-18	52.222-4	CONTRACT WORK HOURS AND SAFETY STANDARDS ACT--OVERTIME COMPENSATION	SEP/2000
I-19	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-20	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-21	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-22	52.222-35	AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA	DEC/2001
I-23	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-24	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-25	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-26	52.223-14	TOXIC CHEMICAL RELEASE REPORTING	AUG/2003
I-27	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JAN/2004
I-28	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-29	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-30	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
I-31	52.232-1	PAYMENTS	APR/1984
I-32	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-33	52.232-11	EXTRAS	APR/1984
I-34	52.232-17	INTEREST	JUN/1996
I-35	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-36	52.232-25	PROMPT PAYMENT	OCT/2003
I-37	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-38	52.233-1	DISPUTES	JUL/2002
I-39	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-40	52.242-12	REPORT OF SHIPMENT (REPSHIP)	JUN/2003
I-41	52.242-13	BANKRUPTCY	JUL/1995
I-42	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-43	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-44	52.248-1	VALUE ENGINEERING	FEB/2000
I-45	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	MAY/2004
I-46	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-47	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-48	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES	MAR/1999
I-49	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-50	252.209-7000	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER	NOV/1995

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 22 of 31
	PIIN/SIIN	MOD/AMD	
Name of Offeror or Contractor: WINDWARD ENTERPRISES			

	Regulatory Cite	Title	Date
I-51	252.209-7004	THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-52	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
I-53	252.215-7000	PRICING ADJUSTMENTS	DEC/1991
I-54	252.215-7002	COST ESTIMATING SYSTEM REQUIREMENTS	OCT/1998
I-55	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	JUN/2004
I-56	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1)	APR/2003
I-57	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAY/2004
I-58	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
I-59	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
I-60	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
I-61	252.227-7025	LIMITATIONS ON THE USE OR DISCLOSURE OF GOVERNMENT-FURNISHED INFORMATION MARKED WITH RESTRICTIVE LEGENDS	JUN/1995
I-62	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-63	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
I-64	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	MAR/2000
I-65	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)  
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name \_\_\_\_\_  
Manufacturer's Name \_\_\_\_\_  
Source's Name \_\_\_\_\_  
Item Name \_\_\_\_\_  
Service \_\_\_\_\_  
Identification\_\_\_\_\_Test Number\_\_\_\_\_(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 23 of 31</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-66      52.215-21      REQUIREMENTS FOR COST OR PRICING DATA OR INFORMATION OTHER THAN COST      OCT/1997  
OR PRICING DATA--MODIFICATIONS `` (ALTERNATE III (OCT 1997))

(a) Exceptions from cost or pricing data.

(1) In lieu of submitting cost or pricing data for modifications under this contract, for price adjustments expected to exceed the threshold set forth at FAR 15.403-4 on the date of the agreement on price or the date of the award, whichever is later, the Contractor may submit a written request for exception by submitting the information described in the following subparagraphs. The Contracting Officer may require additional supporting information, but only to the extent necessary to determine whether an exception should be granted, and whether the price is fair and reasonable--

(i) Identification of the law or regulation establishing the price offered. If the price is controlled under law by periodic rulings, reviews, or similar actions of a governmental body, attach a copy of the controlling document, unless it was previously submitted to the contracting office.

(ii) Information on modifications of contracts of subcontracts for commercial items.

(A) If--

- (1) the original contract or subcontract was granted an exception from cost or pricing data requirements because the price agreed upon was based on adequate price competition, or prices set by law or regulation, or was a contract or subcontract for the acquisition of a commercial item, and
- (2) the modification (to the contract or subcontract) is not exempted based on one of these exceptions, then the Contractor may provide information to establish that the modification would not change the contract or subcontract from a contract or subcontract for the acquisition of a commercial item to a contract or subcontract for the acquisition of an item other than a commercial item.

(B) For a commercial item exception, the Contractor shall provide, at a minimum, information on prices at which the same item or similar items have previously been sold that is adequate for evaluating the reasonableness of the price of the modification. Such information may include--

- (1) For catalog items, a copy of or identification of the catalog and its date, or the appropriate pages for the offered items, or a statement that the catalog is on file in the buying office to which the proposal is being submitted. Provide a copy or describe current discount policies and price lists (published or unpublished), e.g., wholesale, original equipment manufacturer, or reseller. Also explain the basis of each offered price and its relationship to the established catalog price, including how the proposed price relates to the price or recent sales in quantities similar to the proposed quantities.
- (2) For market-priced items, the source and date or period of the market quotation or other basis for market price, the base amount, and applicable discounts. In addition, describe the nature of the market.
- (3) For items included on an active Federal Supply Service Multiple Award Schedule contract, proof that an exception has been granted for the schedule item.
- (4) The Contractor grants the Contracting Officer or an authorized representative the right to examine, at any time before award, books, records, documents, or other directly pertinent records to verify any request for an exception under this clause, and the reasonableness of price. For items priced using catalog or market prices, or law or regulation, access does not extend to cost or profit information or other data relevant solely to the Contractor's determination of the prices to be offered in the catalog or marketplace.

(b) Requirements for cost or pricing data. If the Contractor is not granted an exception from the requirement to submit cost or pricing data, the following applies:

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 24 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

(1) The Contractor shall submit cost or pricing data and supporting attachments in accordance with Table 15-2 of FAR 15.408.

(2) As soon as practicable after agreement on price, but before contract award (except for unpriced actions), the Contractor shall submit a Certificate of Current Cost or Pricing Data, as prescribed by FAR 15.406-2.

(c) Submit the cost portion of the proposal via the following electronic media: Electronic spreadsheet files compatible with MS-DOS/Windows versions Excel 5.0 or earlier, with \*.xls, \*.wbl, or \*.wk3 the preferred formats.

[End of Clause]

I-67      52.211-4015      CONFIGURATION CONTROL--ENGINEERING CHANGES      APR/2004  
(TACOM)

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (NT).

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).



<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> W56HZV-04-C-0652      <b>MOD/AMD</b></p>	<p align="right"><b>Page 25 of 31</b></p>
---	--	---

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (gowardc@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

Name of Offeror or Contractor: WINDWARD ENTERPRISES

- (1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except-
- (i) Offers from HUBZone small business concerns that have not waived the evaluation preference;
  - (ii) Otherwise successful offers from small business concerns;
  - (iii) Otherwise successful offers of eligible products under the Trade Agreements Act when the dollar threshold for application of the Act is exceeded (see 25.402 of the Federal Acquisition Regulation (FAR)); and
  - (iv) Otherwise successful offers where application of the factor would be inconsistent with a Memorandum of Understanding or other international agreement with a foreign government.
- (2) The factor of 10 percent shall be applied on a line item basis or to any group of items on which award may be made. Other evaluation factors described in the solicitation shall be applied before application of the factor.
- (3) A concern that is both a HUBZone small business concern and a small disadvantaged business concern will receive the benefit of both the HUBZone small business price evaluation preference and the small disadvantaged business price evaluation adjustment (see FAR clause 52.219-23). Each applicable price evaluation preference or adjustment shall be calculated independently against an offeror's base offer. These individual preference amounts shall be added together to arrive at the total evaluated price for that offer.
- (c) Waiver of evaluation preference. A HUBZone small business concern may elect to waive the evaluation preference, in which case the factor will be added to its offer for evaluation purposes. The agreements in paragraph (d) of this clause do not apply if the offeror has waived the evaluation preference.
- [ ] Offer elects to waive the evaluation preference.
- (d) Agreement. A HUBZone small business concern agrees that in the performance of the contract, in the case of a contract for
- (1) Services (except construction), at least 50 percent of the cost of personnel for contract performance will be spent for employees of the concern or employees of other HUBZone small business concerns;
  - (2) Supplies (other than procurement from a nonmanufacturer of such supplies), at least 50 percent of the cost of manufacturing, excluding the cost of materials, will be performed by the concern or other HUBZone small business concerns;
  - (3) General construction, at least 15 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns; or
  - (4) Construction by special trade contractors, at least 25 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns.
- (e) A HUBZone joint venture agrees that in the performance of the contract, the applicable percentage specified in paragraph (d) of this clause will be performed by the HUBZone small business participant or participants;
- (f) A HUBZone small business concern nonmanufacturer agrees to furnish in performing this contract only end items manufactured or produced by HUBZone small business manufacturer concerns. This paragraph does not apply in connection with construction or service contracts.

[End of Clause]

I-69 52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA JAN/1997

(a) Hazardous material , as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract). (b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material (If none, insert None)	Identification No.
NONE	

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 27 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

- (h) The Governments rights in data furnished under this contract with respect to hazardous material are as follows;
- (1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to--
    - (i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;
    - (ii) Obtain medical treatment for those affected by the material; and
    - (iii) Have others use, duplicate, and disclose the data for the Government for these purposes.
  - (2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.
  - (3) The Government is not precluded from using similar or identical data acquired from other sources.  
(End of clause)

I-70                      52.223-11                      OZONE-DEPLETING SUBSTANCES                      MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) NONE \* \_\_\_\_\_, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

\*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-71                      52.244-6                      SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS                      JUL/2004

(a) Definitions. As used in this clause--

- (1) "Commercial item" has the meaning contained in Federal Acquisition Regulation 2.101, Definitions.
- (2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 28 of 31</b>
<b>Name of Offeror or Contractor:</b> WINDWARD ENTERPRISES		

affiliates of the Contractor or subcontractor at any tier.

(b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

(1) The contractor shall insert the following clauses in subcontracts for commercial items:

(i) 52.219-8, Utilization of Small Business Concerns (May 2004)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);

(v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).

(2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.

(d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

[End of Clause]

I-72	52.252-6	AUTHORIZED DEVIATIONS IN CLAUSES	APR/1984
------	----------	----------------------------------	----------

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-73	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA	MAY/2002
------	--------------	-----------------------------------	----------

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-C-0652      MOD/AMD</p>	<p style="text-align: center;"><b>Page 29 of 31</b></p>
--	--	---

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page 30 of 31</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.

(f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

- (1) No ocean transportation was used in the performance of this contract;
- (2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;

(3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or

(4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM	CONTRACT			
DESCRIPTION	LINE ITEMS		QUANTITY	TOTAL

(g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.

(h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:

- (1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.
- (2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

I-74      52.204-4009      MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION      JUN/1999  
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-04-C-0652 <b>MOD/AMD</b>	<b>Page</b> 31 <b>of</b> 31
---------------------------	--	-----------------------------

**Name of Offeror or Contractor:** WINDWARD ENTERPRISES

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

I-75	52.211-4008 (TACOM)	DRAWING LIMITATIONS	NOV/2002
------	------------------------	---------------------	----------

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]